
# **DATA PRIME**

# 1. Temperature LBS Tracker for transport Hp5



## **Base Specification**

	<del>i</del>
Dimensions (mm)	85.7(L)X52.5(W)X17.5(H)
Voltage	3.7VDC
Temperature Accuracy	+/- 0.5°C
Dust/Moisture proof	IP66– in cold chain
LBS Positioning Accuracy	About 200m (Depending on density of base stations)
GSM Frequency	850/900/1800/1900MHz
Hot/warm/cold start time	<3s, <15s, <60s
Battery capacity	1800mAh
Standby time	7-9 days
Operating humidity	20%~80%RH
Net Weight	70 g
Door Openings Monitoring	Via Light Sensor
Alerts Ways	Web/APP/SMS
Other Sensor	Shock sensor
Operating temperature	-20℃~20℃

#### **Main Function Table**

Brand	Dataprime
Model	Hp5
Quantity	1 piece(s)
Color	Yellow
Material	PC+ABS
Network	2G
GSM Frequency	850\900\1800\1900 MHz
SIM Card Qty.	one SIM
Tracking Information Method	Monitoring and controlling platform
Altitude Limit	18000 m
Vibrating Alerts	Yes
Collision Alerts	Yes
Falling Alerts	Yes
Realtime Monitoring	Yes
Track Playback	Yes
Temperature Alerts	Yes
Temperature Variation	Yes
Temperature Chart	Yes
Manufacturer's Warranty	12 Months excluding physical damages (see specifications for terms and details)

#### PLATFORM/APP:

- Real-time Tracking
- Real-time Temperature
- History Temperature
- Low Battery Alarm

### Standard (Body/Power Cable)





